

Verde-Cal[®] G Enhanced Gypsum

Greens
SGN 70

GUARANTEED ANALYSIS

| | |
|--|-------|
| Calcium Sulfate Dihydrate (CaSO ₄ •2H ₂ O) | 95.0% |
| Calcium (Ca) | 22.5% |
| Sulfur (S) | 19.0% |
| 19% Combined Sulfur | |
| Derived from Gypsum | |

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS

| | |
|-------|---|
| 2.00% | Trihydroxycarboxylic Acid (from plant extracts) |
| 1.00% | Non-ionic Polyol |

Trihydroxycarboxylic acid as a complexing agent.
1 quart of non-ionic polyol per 200 pounds.

SIEVE ANALYSIS PRIOR TO PRILLING

| | | |
|--------------|-----|------------|
| 100% passing | 4 | Mesh Sieve |
| 98% passing | 8 | Mesh Sieve |
| 97% passing | 10 | Mesh Sieve |
| 90% passing | 20 | Mesh Sieve |
| 75% passing | 40 | Mesh Sieve |
| 67% passing | 50 | Mesh Sieve |
| 60% passing | 60 | Mesh Sieve |
| 50% passing | 100 | Mesh Sieve |
| 40% passing | 200 | Mesh Sieve |

CONDITIONS OF SALE

Seller warrants that products will be labeled as required under state and federal laws and that they conform to the label description. Any non-conformance must be reported in writing to Seller within Thirty (30) days after purchase as a prerequisite to maintaining any claim against Seller. Buyer agrees to inspect all products purchased immediately upon delivery. The Seller's liability under this warranty is limited in amount to the purchase price of the product. This warranty is in lieu of all other warranties, expressed or implied, including warranties of merchantability and fitness for a particular purpose. There are no warranties which extend beyond this statement.

APPLICATION RECOMMENDATIONS

For continued optimum growing conditions, apply 5 pounds per 1,000 ft² or 220 pounds per acre (250 kg/ha) at 30 day intervals throughout the growing season or as needed. Soil test recommendations should be followed.

To correct high sodium or magnesium levels or to loosen clay soils, apply 10 pounds per 1,000 ft² or 435 pounds per acre (500 kg/ha) once or twice per growing season. A follow-up soil test is recommended and if needed, reapply at optimum growing conditions rate.

To correct high sodium levels on Greens and Tees when using effluent water, apply 8 pounds per 1,000 ft² (400 kg/ha) at 30 day intervals throughout the growing season or as needed.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

HAZARD STATEMENT(S)

The product is not classified as hazardous. No known significant effects or critical hazards.

PRECAUTIONARY STATEMENT(S)

Keep out of reach of children. Read label before use. In case of eye contact, flush eyes with water. If swallowed, give water or milk. If eye or skin irritation occurs or you feel unwell, get medical advice/attention.

| RECOMMENDED SPREADER SETTINGS (Bulk Density: 72) | APPLICATION RATE | | | |
|---|--|-------|---|-------|
| | 5 lbs per 1,000 ft ² (250 kg/ha) | | 10 lbs per 1,000 ft ² (500 kg/ha) | |
| SPREADER TYPE | Setting | Width | Setting | Width |
| LESCO | 14 | 10 | 19 | 10 |
| ANDERSONS 2000SR | J | 9 | N | 9 |

To ensure your desired application rate, always calibrate product with the intended spreader for the application.

DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN, AND SWEEP ANY PRODUCT THAT LANDS ON THE DRIVEWAY, SIDEWALK, OR STREET, BACK ONTO YOUR LAWN/GARDEN. WATER IN THOROUGHLY.

F1435

MADE IN USA

LOT NO:



5484 S. Old Carriage Road, Rocky Mount, NC 27803
252.937.4107 • AQUAAIDSOLUTIONS.COM

NET WGT: 50 lbs (22.68 kg)